

Email: _____ Supervisor: _____ Date: (mm/dd/yyyy) _____

Last Name: _____ First Name: _____ Company/Dept. _____

1. What is the minimum PPE required when handling chemicals in the lab:
 - a. Lab coat, nitrile gloves, safety glasses, face shield and closed toe/heel shoes
 - b. Lab coat, nitrile gloves, safety glasses and closed toe/heel shoes
 - c. Nitrile gloves, safety glasses and closed toe/heel shoes
 - d. Respirator, face shield, tyvex coveralls and nitrile gloves

2. For any emergency in the laboratory, you should:
 - a. Call Security at 437-8600
 - b. Pull the fire alarm
 - c. Go to your rally point
 - d. Rinse for 15 minutes

3. ___ T ___ F Chemicals should be stored based upon compatibility

4. ___ T ___ F If a chemical is rated 3 or greater in GHS the material is an HPM(Hazardous Production Material) and may require a lab specific SOP(Standard Operating Procedure).

5. Which is not applicable when responding to a spill of >1 pint of a hazardous or unknown chemical:
 - a. Call Security
 - b. Notify others in the area
 - c. Beginning cleaning up while waiting for ERTs
 - d. Barricade area

6. Which is not defined as a characteristic of hazardous waste?
 - a. Ignitable (FP < 140F)
 - b. Slimey, sticky and stinky
 - c. Reactive
 - d. Toxic
 - e. Corrosive (pH < 2 and >12.5)

7. ___ T ___ F A “Buddy” is Required when working with high hazard materials, Required to call Security in case of emergency and required to assist co-workers during emergency

8. ___ T ___ F Hydrofluoric acid burns may not be apparent for up to 24 hours

9. ___ T ___ F When diluting acid, always add acid to water

10. Which of the following does not apply when a lab worker is splashed with a corrosive chemical:
- Rinse using emergency shower for at least 15 minutes
 - Remove contaminated clothing
 - Treat burn area with calcium gluconate
 - Call Security at 437-8600

Answer the following questions using the SDS for Tetrahydrofuran (attached after quiz questions):

11. What is the correct NFPA Codes for THF?
- 2-3-0
 - 1-1-0
 - 3-2-4
 - 1-2-1
12. What is the flash point?
- 40 C
 - 17 C
 - 0 C
 - 10C
13. Which is not a hazard statement for THF?
- Harmful if swallowed
 - Causes skin irritation
 - Causes severe skin burns and eye damage
 - Suspected of causing cancer
14. Which is not listed as a precaution for "Handling and Storage"?
- Recommended storage temperature: 2-8 C
 - Air and moisture sensitive
 - Store under inert gas
 - Dry residue is explosive
15. What section of the SDS contains the OSHA PEL (8 hour Permissible Exposure Limit) for THF?
- Section 8: Exposure Control /Personal Protection
 - Section 9: Physical and Chemical Properties
 - Section 11: Toxicological Information
 - Section 15: Regulatory Information

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tetrahydrofuran-dg

Product Number : 437727
Brand : Aldrich

Supplier : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA

Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation
Product Safety - Americas Region
1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Harmful by ingestion., Irritant, Carcinogen

Target Organs

Central nervous system, Liver, Kidney

GHS Classification

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 4)
Skin irritation (Category 2)
Eye irritation (Category 2A)
Carcinogenicity (Category 2)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P281 Use personal protective equipment as required.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Other hazards

May form explosive peroxides.

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 3
Physical hazards: 0

NFPA Rating

Health hazard: 2
Fire: 3
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.
Skin Harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Deuterated tetrahydrofuran
Octadeuterotetrahydrofuran

Formula : C₄D₈O
Molecular Weight : 80.16 g/mol

Component	Concentration
Tetrahydrofuran-d8	
CAS-No. 1693-74-9	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

Store under inert gas. hygroscopic Dry residue is explosive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Tetrahydrofuran-d8	1693-74-9	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Central Nervous System impairment Upper Respiratory Tract irritation Kidney damage Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption			
		STEL	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Central Nervous System impairment Upper Respiratory Tract irritation Kidney damage Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption			
		TWA	200 ppm 590 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	The value in mg/m3 is approximate.			
		TWA	200 ppm 590 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	250 ppm 735 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	200 ppm 590 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	250 ppm 735 mg/m3	USA. NIOSH Recommended Exposure Limits

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	clear, liquid
Colour	colourless

Safety data

pH	no data available
Melting point/freezing point	Melting point/range: -106 °C (-159 °F) - lit.
Boiling point	65 - 66 °C (149 - 151 °F) - lit.
Flash point	-17 °C (1 °F) - closed cup
Ignition temperature	321 °C (610 °F)
Auto-ignition temperature	no data available
Lower explosion limit	1.8 %(V)
Upper explosion limit	11 %(V)
Vapour pressure	no data available
Density	0.985 g/mL at 25 °C (77 °F)
Water solubility	soluble
Partition coefficient: n-octanol/water	no data available
Relative vapor density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION**Acute toxicity****Oral LD50**

LD50 Oral - rat - 1,650 mg/kg

LD50 Oral - guinea pig - 2,300 mg/kg

Inhalation LC50

LC50 Inhalation - rat - 3 h - 21000 ppm

Remarks: Drowsiness Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Dermal LD50

no data available

Other information on acute toxicity

LD50 Intraperitoneal - rat - 2,900 mg/kg

LD50 Intraperitoneal - mouse - 1,900 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

IMDG

UN number: 2056 Class: 3 Packing group: II EMS-No: F-E, S-D
Proper shipping name: TETRAHYDROFURAN
Marine Pollutant: No

IATA

UN number: 2056 Class: 3 Packing group: II
Proper shipping name: Tetrahydrofuran

15. REGULATORY INFORMATION**OSHA Hazards**

Flammable liquid, Harmful by ingestion., Irritant, Carcinogen

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Tetrahydrofuran-d8	1693-74-9	1993-04-24

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Tetrahydrofuran-d8	1693-74-9	1993-04-24

New Jersey Right To Know Components

	CAS-No.	Revision Date
Tetrahydrofuran-d8	1693-74-9	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION**Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.